

(Click on Well Log ID to Access Image of Well Strip Log)

#### ST LOUIS CITY

(Records are Sorted by Township, Range, and Section)

LOG ID: 018470

**WELL TYPE** 

Industrial High Capacity Well

**DRILL DATE:** 

1959/06/23

**TOWNSHIP** 0

**TOWNSHIP** 

0

**RANGE** 

**SECTION** 

**ELEVATION:** 

419FT

County Base Map

**DRILL DEPTH:** 

69FT

0 LG10028

UTM X 742,075.90

UTM Y 4,273,905.39

**DEPTH TO BED:** 

S.W.L. (BEFORE CASING):

FT

**REMARKS:** 

S.W.L. (AFTER CASING):

LOG ID: 019835

**WELL TYPE** 

Industrial High Capacity Well

DRILL DATE:

43

**RANGE** 

**SECTION** 

**ELEVATION:** 

ZONE 15

ZONE 15

420FT

DRILL DEPTH:

80FT

LG10052 0

> UTM X 744,408.00

UTM Y 4,284,257.47

**DEPTH TO BED:** 

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

**REMARKS:** 

**REMARKS:** 

LOG ID:

**WELL TYPE** 

003616

Industrial High Capacity Well

21

**DRILL DATE:** 

1936/05/

**TOWNSHIP** 

**RANGE** 

**SECTION** 

4400 N MAIN ST., ACIDIZED; NO WATER BELOW 553'

**ELEVATION:** 

421FT

DRILL DEPTH:

885FT

0

0 LG10052

UTM Y

DEPTH TO BED:

30FT

UTM X 743,727.99 4,284,294.48

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

**WELL TYPE** 

002748

Industrial High Capacity Well

**DRILL DATE:** 

1933/08/

**TOWNSHIP** 

**SECTION RANGE** 

**ELEVATION:** 

430FT

0

0

LG10052

UTM X

744,378.99

UTM Y

4,283,189.46

**DRILL DEPTH:** DEPTH TO BED: 210FT 45FT

2ND & MALINKRODT STS.

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

25

**REMARKS:** 

FT

ZONE 15

3/1/2007

5,724



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025431

DRILL DATE:

DEPTH TO BED:

WELL TYPE Private Well

100FT

65FT

1967/10/13

TOWNSHIP RANGE 0 0

**ELEVATION:** 

437FT

DRILL DEPTH: 10

0 LG114

**SECTION** 

UTM X UTM Y

744,999.07

4,294,722.56

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 014677

**WELL TYPE** 

Noncommunity Public Well

DRILL DATE:

1956/06/19

**TOWNSHIP** 

RANGE SECTION

<u>ELEVATION:</u>

414FT

DRILL DEPTH:

300FT

0 0 LG114

UTM X

UTM Y

DEPTH TO BED:

35FT

745,132.07 4,294,841.56

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

FLOWS 20 GPM; COUNTRY CLUB NEAR CHAIN-OF-ROCKS

**BRIDGE** 

LOG ID:

**WELL TYPE** 

002460

Community Public Well

**DRILL DATE:** 

1869/08/09

**TOWNSHIP** 

<u>RANGE</u>

**SECTION** 

**ELEVATION:** 

570FT

DRILL DEPTH:

3.883FT

0

0 LG2037

UTM X

UTM Y

DEPTH TO BED:

75FT

4,276,237.47

736,997.88 zc

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

5800 ARSENAL; KITCHEN NOW BUILT OVER WELL, EXTENSION, E

MAIN BLDG

LOG ID:

WELL TYPE

002277 Private Well

DRILL DATE:

1930/00/00

TOWNSHIP 0 **RANGE** 

SECTION

ELEVATION:

406FT

DRILL DEPTH:

DEPTH TO BED:

945FT

475FT

0 LG3102

<u>UTM X</u> 737.938.83 UTM Y

,938.83 4,269,086.38 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

**REMARKS:** 

NO UNITS IDENTIFIED

3/1/2007

5,725



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 003089

**WELL TYPE** 

Industrial High Capacity Well

DRILL DATE: 1929/10/ **TOWNSHIP RANGE SECTION** 0 0 LG3123

**ELEVATION:** 

420FT

**DRILL DEPTH:** 805FT

UTM X

**UTMY** 4,277,648.40

744,180.94

DEPTH TO BED: S.W.L. (BEFORE CASING):

60FT

"AT PLANT" - 1550 S 2ND ST. **REMARKS**:

ZONE 15

S.W.L. (AFTER CASING):

LOG ID: 025179

**WELL TYPE** 

Industrial High Capacity Well

DRILL DATE:

1967/09/

**TOWNSHIP** 

**RANGE** 

**SECTION** 

**ELEVATION:** 

412FT

DRILL DEPTH:

445FT

0 LG3125 0

UTM X

**UTMY** 

DEPTH TO BED:

45FT

742,257.00

4,287,321.53

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

@ FOOT OF HUMBOLT ST, OFF WALL ST

S.W.L. (AFTER CASING):

LOG ID: 010607

**WELL TYPE** 

Industrial High Capacity Well

**DRILL DATE:** 

1947/05/14

**TOWNSHIP** 

**RANGE SECTION**  **ELEVATION:** 

474FT

**DRILL DEPTH:** 

290FT

0 0

4301 S SPRING AVE

UTM X

**DEPTH TO BED:** 

40FT

LG3125

UTM Y 4,273,927.42

739,440.87 ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** 

S.W.L. (AFTER CASING):

LOG ID: 001874

**WELL TYPE** 

Private Well

**DRILL DATE:** 

1915//

**TOWNSHIP** 

**RANGE SECTION**  **ELEVATION:** 

475FT

0

0 LG3125

**DRILL DEPTH:** DEPTH TO BED: 1,430FT 25FT

UTM X UTM Y

742.875.97 ZONE 15

4,282,511.47

S.W.L. (BEFORE CASING):

**REMARKS**:

PLUGGED & ABANDONED, SALT WATER FROM ST. PETER

S.W.L. (AFTER CASING):

3/1/2007 5,726



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004114

**WELL TYPE** Sewer test hole

1937/01/25 DRILL DATE:

**DRILL DEPTH:** 153FT

DEPTH TO BED: 75FT

**TOWNSHIP RANGE SECTION** 0 0

LG3125

**ELEVATION:** 

552FT

**UTMY** 

UTM X 740,222.89

4,275,298.43

ZONE 15

S.W.L. (BEFORE CASING):

"SEWER TEST HOLE", GRACE & POTOMAC STS.? **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 004116

**WELL TYPE** Sewer test hole

DRILL DATE:

1937/02/13

**TOWNSHIP** 0

**RANGE SECTION**  **ELEVATION:** 

552FT

DRILL DEPTH:

147FT

LG3125 0

**UTM X** 

**UTMY** 

DEPTH TO BED: 29FT

741,087.90 4,275,735.42

ZONE 15

S.W.L. (BEFORE CASING):

"SEWER TEST HOLE"; ARKANSAS & POTOMAC STS. REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 003522

**WELL TYPE** 

Private Well

**DRILL DATE:** 

1936/02/15

**TOWNSHIP** 0

**RANGE** 

**SECTION** LG3125

**ELEVATION:** 

478FT

**DRILL DEPTH:** 

655FT

0

UTM X 739,084.98

UTM Y 4,288,245.58

**DEPTH TO BED:** 

40FT

65

**REMARKS:** 

FT

ZONE 15 NE COR JCT OF W FLORRISSANT AND PARK LANE AVE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 000121

**WELL TYPE** Private Well

**DRILL DATE:** 

1904/12/00

**TOWNSHIP** 0

**RANGE** 

**SECTION** 

**ELEVATION:** 

470FT

**DRILL DEPTH:** 

650FT

0

LG3125

UTM X

UTM Y

DEPTH TO BED:

60FT

740.137.92 4,279,741.47

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

**REMARKS:** 

DRY HOLE - MADE SOME OIL & GAS

3/1/2007 5,727



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002267

WELL TYPE Oil Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 428FT

DRILL DEPTH: 0 0 LG3125

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 65FT 741,452.89 4,273,282.39

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: DRY OIL & GAS TEST; AT FOOT OF WYANDOTTE ST

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

003079 Industrial High Capacity Well

DRILL DATE: 1924/09/ TOWNSHIP RANGE SECTION ELEVATION: 423FT

DRILL DEPTH: 0 0 LG3125

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 35FT 743,666.99 4,284,689.48

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: AT PLANT, 2ND & E. GRAND

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE
004059 Sewer test hole

<u>DRILL DATE:</u> 1937/01/07 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 542FT

<u>DRILL DEPTH:</u> 120FT 0 LG3125

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 35FT 740,468.90 4,276,174.43

S.W.L. (BEFORE CASING):

REMARKS: "SEWER TEST HOLE"; ARKANSAS & CRITTENDEN STS.; "GRAY
MOTTLED CHERT"

S.W.L. (AFTER CASING):

S.W.L. (AFTER CASING):

LOG ID: WELL TYPE
004060 Sewer test hole

<u>DRILL DATE:</u> 1937/01/ <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 524FT

<u>DRILL DEPTH:</u> 115FT <u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 35FT 741,690.90 4,274,740.40

0

LG3125

ZONE 15

0

S.W.L. (BEFORE CASING): REMARKS: "SEWER TEST HOLE" , TEXAS & POTOMAC STS

3/1/2007 5,728



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004109

**WELL TYPE** 

WATER TEST WELL (HOLE)

1937/02/22 DRILL DATE:

**TOWNSHIP RANGE SECTION** 0 0 LG3125

**ELEVATION:** 535FT

**DRILL DEPTH:** 130FT

**UTM X** 

**UTMY** 

DEPTH TO BED: 54FT 740,381.89

4,275,182.42 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

**REMARKS:** 

"CEMENT HOLE", 200' S OF JCT OF CHEROKEE & TENNESSEE

STS

LOG ID:

**WELL TYPE** 

007923

Industrial High Capacity Well

DRILL DATE:

1942/06/

**TOWNSHIP** 0

0

**RANGE SECTION**  **ELEVATION:** 

460FT

DRILL DEPTH:

400FT

LG3128 0

**UTM X** 

ZONE 15

**UTMY** 

DEPTH TO BED: 63FT

741,066.92

4,278,627.45

S.W.L. (BEFORE CASING):

FT

2 BLKS NE OF GRAND & CHEROKEE, 813 S. THERESA ST

S.W.L. (AFTER CASING):

63

REMARKS:

LOG ID: 000171

**WELL TYPE** 

Industrial High Capacity Well

**DRILL DATE:** 

**TOWNSHIP RANGE** 

**SECTION** 

**ELEVATION:** 

505FT

**DRILL DEPTH:** 

786FT

0 LG3128

UTM X

**DEPTH TO BED:** 

740,680.92

UTM Y 4,278,756.46

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** SPRING & CHOUTEAU, WELL #1

S.W.L. (AFTER CASING):

LOG ID:

**WELL TYPE** 

001496

Industrial High Capacity Well

**DRILL DATE:** 

1914/00/00

**TOWNSHIP** 

**RANGE SECTION**  **ELEVATION:** 

UTM X

445FT

**DRILL DEPTH:** 

DEPTH TO BED:

1,483FT

20FT

0

0 LG3134

UTM Y 743.960.94 4,277,571.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

**REMARKS:** 

SALINE WATER; 8TH & BARRY STS

S.W.L. (AFTER CASING):

50

3/1/2007 5,729



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 001491

**DRILL DATE:** 

**DRILL DEPTH:** 

**DEPTH TO BED:** 

**WELL TYPE** Private Well

775FT

**TOWNSHIP RANGE SECTION** 0 0 LG363

**ELEVATION:** 

463FT

UTM X 744,326.95

**UTMY** 4,278,849.41

ZONE 15

S.W.L. (BEFORE CASING):

**REMARKS**: 11TH & CLARK AVE.

S.W.L. (AFTER CASING):

LOG ID: 001655

**WELL TYPE** Private Well

DRILL DATE:

**TOWNSHIP** 0

**RANGE** 

**SECTION** 

**ELEVATION:** 

420FT

DRILL DEPTH: 2,200FT

LG671 0

UTM X

**UTM Y** 

**DEPTH TO BED:** 

745,267.97

4,280,122.41

ZONE 15

S.W.L. (BEFORE CASING):

MAIN & O'FALLON STS REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 000419

**WELL TYPE** 

Noncommunity Public Well

DRILL DATE:

1906//

**RANGE TOWNSHIP SECTION**  **ELEVATION:** 

510FT

DRILL DEPTH:

438FT

LG903 0 0

UTM X UTM Y

**DEPTH TO BED:** 

22FT

739,071.93 4,281,207.50

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

**REMARKS**:

**TAYLOR & McPHERSON STS** 

ST LOUIS CITY

5,730 3/1/2007